

142



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/582,556	08/22/2000	Jan Abraham Van Asselt	112134-00102	2767

27557 7590 11/29/2002

BLANK ROME COMISKY & MCCAULEY, LLP
900 17TH STREET, N.W., SUITE 1000
WASHINGTON, DC 20006

EXAMINER

ARYANPOUR, MITRA

ART UNIT	PAPER NUMBER
----------	--------------

3711

DATE MAILED: 11/29/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/582,556

Applicant(s)

VAN ASSELT, JAN ABRAHAM *CH*

Examiner

Mitra Aryanpour

Art Unit

3711

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 October 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-26 and 28-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5, 7-26 and 28-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 29, 30, 32, 33 and 35 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. There is insufficient support in the disclosure for the lower guideway to be slack. The disclosure on pages 6 merely states “. . . two positions of the lower guideway are shown in figure 1, these being shown in full line and broken line” and again on page 7, “. . . upper and lower guideways 1, 2 towards the limiting position shown in broken line”. No where has it been stated why the lower guideway should be slack, and how it would differ from a taut line?

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 2-4, 8 and 21 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
5. Regarding claim 2, the limitation “wherein the upper guideway is inclined” is an indefinite double recitation because it already appears in claim 1. A more appropriate way of referring to the “upper guideway” would be –wherein the inclined upper guideway--.

Art Unit: 3711

Regarding claim 3, since the limitation of “inclined upper guideway” has been added to claim 1, the upper guideway can no longer be parallel to the ground, making claim 3, indefinite.

Regarding claims 4 and 21, again, since the limitation of “inclined upper guideway” has been added to claim 1, the upper guideway can no longer be normal to the ground, making claim 4, indefinite.

Regarding claim 8, as best understood from the specification and drawings, the lower guide way is adjustably connected to the stable supports. Therefore, it is unclear how the lower guideway is also adjustably engaged with the ground? Unless the position of the stables is changed with respect to the ground!

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-5, 7-9, 11-15, 18, 19, 28, 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lingbeek (3,630,521) in view of Albert (3,086,775) and Scher et al (5,713,805) or in the alternative Ring (5,460,364).

Regarding claim 1, Lingbeek shows an apparatus for use in playing and practicing ball games comprising upper and lower guideways (2), reciprocating means (4) connected to and freely moveable along the upper and lower guideways (2), and a ball (5) connected to the reciprocating means (4); the upper and lower guideways are substantially parallel, and lie in a plane which is generally normal to the ground (see figure 1).

Art Unit: 3711

Lingbeek as disclosed above does not show the upper guide way to be inclined. Albert shows a practice device, wherein the rate of approach of the ball (25) to the player can be adjusted by varying the slope in the line (8). It would have been obvious to one of ordinary skill in the art at the time the invention was made, to have secured the upper guide way of Lingbeek in any suitable way including at an angle as shown by Albert in order to increase the rate of approach of the ball.

Lingbeek as modified above further lacks a substantially inelastic reciprocating means. Scher et al shows a baseball practice device wherein the reciprocating means can be either made of elastic or non-elastic material (see claims 10 and 11). Ring also shows a ball batting practice apparatus, wherein the reciprocating means (30) can be fabricated from elastic (for weak hitters or younger players) or non-elastic (for strong hitters) materials (column 4, lines 4-11). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the elastic reciprocating means of Lingbeek with a substantially inelastic reciprocating means as it is claimed by Scher et al and described by Ring in order to accommodate and meet the strength of various players.

Regarding claim 2, Lingbeek as modified above shows the maximum height of the upper guideway above the ground level to be greater than the length of the reciprocating means (see figure 1).

Regarding claims 3 and 4, as best understood, Lingbeek as modified above, shows the upper and lower guideways (2) are substantially parallel and are generally normal to the ground.

Regarding claim 5, Lingbeek as modified above in view of Albert, shows the upper guideway to be inclined with respect to the ground. Albert's device only has an upper line,

Art Unit: 3711

therefore, there is no mention how the lower line would be positioned with respect to the ground. Official Notice is taken that varying the slope of a line in order to control the rate of approach of a ball is well known, and it would have been obvious to have inclined both the upper and lower lines of Lingbeek's device in order to increase the rate of approach of the hit ball.

Regarding claim 7, Lingbeek as modified above shows the upper and lower guideways being attached to a pole (1; see column 1, lines 40-42).

Regarding claim 8, as best understood, Lingbeek as modified above shows the lower guideway to be adjustably engaged with the ground (the position of the support poles can be changed).

Regarding claim 9, Lingbeek as modified above shows the reciprocating means comprises an upstanding line (4) connected to the upper and lower guideways (2).

Regarding claims 11 and 12, Lingbeek as modified above shows the reciprocating means (4) is connected to the upper and lower guideways means (2) through a slide (3), wherein the slide is a ring (see figure 1).

Regarding claims 13-15, Lingbeek as modified above, shows the reciprocating means (4) is made of low friction material (it can be made of elastic or rubber, both of which are a form of plastic). Albert also shows the upper guide way to be made of a plastic covered line (column 1, lines 62-66); and the reciprocating means (23) to be partially covered by a plastic sleeve (30). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have provided a plastic cover for the modified device of Lingbeek such as the one described by Albert in order to protect the guide and/or reciprocating means from damage due to repetitive

Art Unit: 3711

use. It would have further been obvious to use the same material for the guidelines and the reciprocating means in order to reduce cost of manufacturing.

Regarding claims 18 and 19, Lingbeek as modified above shows the ball can be connected at any point along the reciprocating line (4) using stop means (6) and the ball (5) can be of any size, shape or material desired (see column 1, lines 47 and 48).

Regarding claim 28, Lingbeek as modified above, does not show the posts (1) to have a guide rope and peg, but teaches that the stable supports can be posts, trees, poles, buildings, or any support sufficiently spaced to support the guideways (2). Albert further shows the stable support (11) to be further secured in place using ropes (12) and pegs (13). It would have been obvious in view of Albert to have included ropes and pegs for the stable support of Lingbeek in order to provide additional stability to the overall structure.

Regarding claim 34, see comments for claim 1.

8. Claims 10, 16, 17, 20-26, 29-33 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lingbeek (3,630,521) in view of Albert (3,086,775) and Scher et al (5,713,805) or in the alternative Ring (5,460,364), as applied to claim 1, and further in view of Janis (4,138,107).

Regarding claim 10, Lingbeek as modified above does not show the reciprocating means to be constructed of two upstanding lines. Janis shows the reciprocating means (14) can be made of one continuous line (figure 5) or a combination of two separate lines (figure 2) connected to the ball; the reciprocating means is connected to the upper and lower guideway means through a slide (see figures 3 and 7), wherein the slide comprises a hook (column 3, lines 10-11). It would

Art Unit: 3711

have been obvious in view of Janis to have made the reciprocating line of Lingbeek of two separate lines, since it would limit movement of the ball along the length of the line.

Regarding claims 16 and 17, Lingbeek as modified above shows the upper and lower guideways to be made of a wires, which is considered to be a substantially rigid material (see column 1, lines 43-45). However, for the sake of argument Janis shows the upper and lower guideways are made of a substantially rigid material (column 1, lines 52-58), wherein the guide ways form a track and are capable of receiving a runner (see figures 1-7). Janis does not indicate whether or not the guideways are made of plastic. Plastic is well known for its rigidity and strength and it would have been an obvious material to use for the modified guideways of Lingbeek.

Regarding claim 20, see comments for claims 1 and 10.

Regarding claim 21, see comments for claim 4.

Regarding claim 22, Lingbeek as modified above shows the upper and lower guideway comprises a string or rope (see column 1, lines 43 and 44).

Regarding claims 23 and 24, see comments for claims 13 and 14.

Regarding claim 25, see comments for claim 11.

Regarding claim 26, see comments for claim 12.

Regarding claim 29, Lingbeek as modified in view of Albert, shows the upper guideway

to be inclined with respect to the ground. Albert's device only has an upper line, therefore, there is no mention how the lower line would be positioned with respect to the ground. Official Notice is taken that the slack ~~a line provides~~ ⁱⁿ an inelastic line the resiliency or "slack" that an elastic line inherently possesses, which in turn allows the ball to travel more freely along the guideway(s). As

a. {
a. {
is taken that the slack ~~a line provides~~ ⁱⁿ an inelastic line the resiliency or "slack" that an elastic line inherently possesses, which in turn allows the ball to travel more freely along the guideway(s). As

Art Unit: 3711

can be seen from Albert the ball does not need the lower guideway to be able to travel freely on the upper guideway. The addition of a lower guideway simply confines the movement of the ball and provides a more controlled practice device. Therefore, one of ordinary skill in the art would have used a slack, semi-slacked or taut lower guideway that was most readily available for the modified device of Lingbeek.

Regarding claim 30, again Lingbeek does not show the one or more upstanding lines between the ball to be slack when at rest. Albert shows the line to be slack (see figure 2). It would have further been obvious to use a slack line for the one or more upstanding lines of Lingbeek, since it would allow the ball to travel more freely.

Regarding claim 31, see comments for claim 28.

Regarding claim 32, see comments for claims 1 and 30. Regarding the limitation of “at least one upstanding stable support”, Lingbeek shows at least one (1).

Regarding claim 33, see comments for claim 30.

Regarding claim 35, see comments for claim 30.

Response to Arguments

9. Applicant's arguments with respect to claims 1-5, 7-26, and newly added claims 28-35 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mitra Aryanpour whose telephone number is 703 308 3550. The examiner can normally be reached on Monday - Friday 9:00 to 5:30.

Art Unit: 3711

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Sewell can be reached on 703 308 2126. The fax phone numbers for the organization where this application or proceeding is assigned are 703 308 7768 for regular communications and 703 305 3579 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 1148.

MA

22 November 2002


Paul T. Sewell
Supervisory Patent Examiner
Group 3700